


L Number	Hits	Search Text	DB	Time stamp
1	243	((component component\$1base\$1) adj2 (application\$1 program\$1 system\$1)) with stand\$1alone\$1) and ((client\$1 same server\$1) distribut\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 10:32
2	11	((component component\$1base\$1) adj2 (application\$1 program\$1 system\$1)) with stand\$1alone\$1) and ((client\$1 same server\$1) distribut\$3)) and ((partition\$3 split\$5 de\$1compos\$3) with (component\$1 object\$1 application\$1 program\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 10:29
3	1935	((component component\$1base\$1) adj2 (application\$1 program\$1 system\$1)) and (stand\$1alone\$1 same ((client\$1 same server\$1) distribut\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 10:33
4	152	((component component\$1base\$1) adj2 (application\$1 program\$1 system\$1)) and (stand\$1alone\$1 same ((client\$1 same server\$1) distribut\$3))) and ((partition\$3 split\$5 de\$1compos\$3) near4 (component\$1 object\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 10:34
-	2	20020165993.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 10:24
-	198	((partition\$3 split\$5 de\$1compos\$3) near5 (component\$1 application\$1 program\$1)) and ((stand\$1alone legacy) with (distribut\$3 client\$1server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 14:54
-	79	719/\$.ccls. and (((stand\$1alone legacy) with (distribut\$3 client\$1server\$1)) with (application\$1 program\$1 system\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 17:23
-	100	717/\$.ccls. and (((stand\$1alone legacy) with (distribut\$3 client\$1server\$1)) with (application\$1 program\$1 system\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 17:40
-	534	((component\$1 bean\$1) adj2 (application\$1 program\$1 system\$1)) and (((stand\$1alone legacy) with (distribut\$3 client\$1server\$1)) with (application\$1 program\$1 system\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 17:49
-	141	((component\$1 bean\$1) adj2 (application\$1 program\$1 system\$1)) and (((stand\$1alone legacy) with (distribut\$3 client\$1server\$1)) with (application\$1 program\$1 system\$1)) and ((analyz\$3 determin\$3) near5 (component\$1 bean\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 17:49
-	131	((component\$1 bean\$1) adj2 (application\$1 program\$1 system\$1)) and (((stand\$1alone legacy) with (distribut\$3 client\$1server\$1)) with (application\$1 program\$1 system\$1)) and ((analyz\$3 determin\$3) near3 (component\$1 bean\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 17:50
-	76	((component\$1 bean\$1) adj2 (application\$1 program\$1 system\$1)) and (((stand\$1alone legacy) with (distribut\$3 client\$1server\$1)) with (application\$1 program\$1 system\$1)) and ((analyz\$3 determin\$3) near3 (component\$1 bean\$1)) and ((wrap\$5 adap\$4 encapsulat\$3) near5 (component\$1 bean\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 17:50

-	2	6560618.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:03
-	2	6510468.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 14:33
-	2	6532463.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 14:34
-	2	5822585.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 14:35
-	2	5430876.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:33
-	2	6161107.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:34
-	2	6286051.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:34
-	2	6385769.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:35
-	6574	((partition\$3 split\$5) near5 (component\$1 bean\$1 object\$1)) and ((generat\$3 build\$3 creat\$3) near4 (component\$1 bean\$1 object\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:37
-	3616	((partition\$3 split\$5) near5 (component\$1 bean\$1)) and ((generat\$3 build\$3 creat\$3) near4 (component\$1 bean\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:37
-	153	((partition\$3 split\$5) near5 (component\$1 bean\$1)) and ((generat\$3 build\$3 creat\$3) near4 (component\$1 bean\$1)) and ((legacy stand\$1alone) adj2 (application\$1 program\$1 system\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:39
-	101	((partition\$3 split\$5) near5 (component\$1 bean\$1)) and ((generat\$3 build\$3 creat\$3) near4 (component\$1 bean\$1)) and ((legacy stand\$1alone) adj2 (application\$1 program\$1 system\$1)) and (GUI\$1 (graphical adj user adj2 interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:39
-	108	((partition\$3 split\$5) near5 (component\$1 bean\$1)) and ((generat\$3 build\$3 creat\$3) near4 (component\$1 bean\$1)) and ((legacy stand\$1alone) adj2 (application\$1 program\$1 system\$1)) and (GUI\$1 (graphical adj user adj2 interface) browser\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 15:39

-	102	((partition\$3 split\$5 de\$1compos\$3) near5 (component\$1 bean\$1)) and ((stand\$1alone legacy) with (distribut\$3 client\$1server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 10:26
-	87	((partition\$3 split\$5 de\$1compos\$3) near3 (component\$1 bean\$1)) and ((stand\$1alone legacy) with (distribut\$3 client\$1server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 10:27
-	233	((partition\$3 split\$5 de\$1compos\$3 generat\$3) near3 (component\$1 bean\$1)) and ((stand\$1alone legacy) with (distribut\$3 client\$1server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 10:56
-	166	(generat\$ near4 (protocol\$1 communication)) and ((stand\$1alone legacy) with (distribut\$3 client\$1server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 10:57
-	57	(generat\$ near4 protocol\$1) and ((stand\$1alone legacy) with (distribut\$3 client\$1server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 10:57
-	132	((partition\$3 split\$4) near5 (application\$1 program\$1)) and ((stand\$1alone legacy) with (client\$1server distribut\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 17:30
-	36	((partition\$3 split\$4) near5 (application\$1 program\$1)) and ((stand\$1alone legacy) with (client\$1server distribut\$3)) and ((wrap\$4 encapsulat\$3) with (component\$1 bean\$1) with (client\$1 server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 17:33
-	44	((partition\$3 split\$4) near5 (application\$1 program\$1)) and ((stand\$1alone legacy) with (client\$1server distribut\$3)) and ((wrap\$4 encapsulat\$3) with (component\$1 bean\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 17:34
-	419	(wrap\$4 encapsulat\$3) with client\$1 with (component\$1 bean\$1 code\$1 module\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 10:07
-	50	((wrap\$4 encapsulat\$3) with client\$1 with (component\$1 bean\$1 code\$1 module\$1)) and ((stand\$1alone legacy) with (distribut\$3 client\$1server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 10:07
-	2479	((legacy stand\$1alone) adj1 (application\$1 program\$1 system\$1)) and (GUI\$1 (graphical adj2 interface) (user adj interface)) and client\$1 and server\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 11:10
-	131	((legacy stand\$1alone) adj1 (application\$1 program\$1 system\$1)) same (GUI\$1 (graphical adj2 interface) (user adj interface)) same client\$1 same server\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 11:11
-	2	6542908.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 17:17
-	2	5919113.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 17:18

-	2	5915113.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 17:18
-	2	6346953.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 17:18
-	91101	((partition\$3 split\$5 de\$1compos\$3) with (component\$1 object\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 14:55
-	264	((((partition\$3 split\$5 de\$1compos\$3) with (component\$1 object\$1))) and 719/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 14:55
-	420	((((partition\$3 split\$5 de\$1compos\$3) with (component\$1 object\$1))) and 717/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 14:55
-	0	((((partition\$3 split\$5 de\$1compos\$3) with (component\$1 object\$1))) and 719/\$.ccls.) and (0stand\$1alone with (distribut\$3 client\$1server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 14:56
-	8	((((partition\$3 split\$5 de\$1compos\$3) with (component\$1 object\$1))) and 719/\$.ccls.) and (stand\$1alone with (distribut\$3 client\$1server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 14:56
-	17	((((partition\$3 split\$5 de\$1compos\$3) with (component\$1 object\$1))) and 717/\$.ccls.) and (stand\$1alone with (distribut\$3 client\$1server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 14:56
-	323	((((partition\$3 split\$5 de\$1compos\$3) with (component\$1 object\$1))) and (stand\$1alone same (distribut\$3 client\$1server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 14:57
-	23	((((partition\$3 split\$5 de\$1compos\$3) with (component\$1 object\$1))) and 719/\$.ccls.) and (stand\$1alone same (distribut\$3 client\$1server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 14:57
-	29	((((partition\$3 split\$5 de\$1compos\$3) with (component\$1 object\$1))) and 717/\$.ccls.) and (stand\$1alone same (distribut\$3 client\$1server\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 15:13
-	233	((((partition\$3 split\$5 de\$1compos\$3) with (component\$1 object\$1))) and (stand\$1alone same (distribut\$3 client\$1server\$1))) and (client\$1 user\$1) and (server\$1 host\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 15:57
-	25	((((partition\$3 split\$5 de\$1compos\$3) with (component\$1 object\$1))) and 718/106.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 15:58
-	13	((((partition\$3 split\$5 de\$1compos\$3) with (component\$1 object\$1))) and 719/331.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:18

-	38	((partition\$3 split\$5 de\$1compos\$3) with (component\$1 object\$1))) and 717/107,120.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:20
-	175	((partition\$3 split\$5 de\$1compos\$3) with (component\$1 object\$1))) and 709/203,230.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:41


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)


[Advanced Search](#)  
[Preferences](#)

## Web

 Results 11 - 20 of about 10,900 for **partition component stand-alone client server 2000**. (0.33 seconds)

### White Papers

... COM+ **Component** Services; Distributed transactions; Microsoft Message ...  
 Distributed **partition** views Another new feature ... you can download the **stand-alone**  
**SQL Server** ...  
[techrepublic.com.com/5102-6268-1031156.html](http://techrepublic.com.com/5102-6268-1031156.html) - 13k - [Cached](#) - [Similar pages](#)

### MCSE Braindumps, the best free braindumps site for certification ...

... **Server** on which the Internet Information Services (IIS) **component** is installed ... This  
 is a **stand-alone server**. ... you use to designate drive E as the boot **partition**? ...  
[www.mcsebraindumps.net/dump.php?bd\\_id=13656](http://www.mcsebraindumps.net/dump.php?bd_id=13656) - 21k - [Cached](#) - [Similar pages](#)

### Disk-Imaging Solutions

... running PowerCast **Server**, the multicast **server component**, from a ... the **partition**,  
 and expand the **partition** to fit ... It is available as **standalone** product and it is ...  
[www.winnetmag.com/Windows/Articles/ArticleID/20876/pg/3/3.html](http://www.winnetmag.com/Windows/Articles/ArticleID/20876/pg/3/3.html) - [Similar pages](#)  
[\[ More results from www.winnetmag.com \]](#)

### Enhancements to Microsoft Cluster **Server** for Windows 2000 Advanced ...

... Dell supports Hot-Plug Peripheral **Component** Interconnect (HPPCI ... Users can name  
 and **partition** new disks ... Naming Services (WINS) and **stand-alone** Distributed File ...  
[www1.us.dell.com/content/topics/global.aspx/power/en/ps4q01se\\_mscs?c=us&l=en&s=gen](http://www1.us.dell.com/content/topics/global.aspx/power/en/ps4q01se_mscs?c=us&l=en&s=gen)  
 - 41k - [Cached](#) - [Similar pages](#)

### [PDF] Supporting NOS and OS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... may be delivered as a **stand-alone** package or ... to repair registry files, system files,  
**partition** boot sector ... be the result of another **component** malfunctioning or ...  
[www.edexcel.org.uk/structure.aspx?id=83316&clid=182702](http://www.edexcel.org.uk/structure.aspx?id=83316&clid=182702) - [Similar pages](#)

### ActiveWin.com: Microsoft Windows 2000 - Frequently Asked Questions

... A: The **standalone** version of Windows 2000 Professional costs ... the **partition** as a  
 FAT16 **partition**, Windows NT ... JDP participants are a critical **component** of the ...  
[www.activewin.com/faq/nt2000\\_faq.shtml](http://www.activewin.com/faq/nt2000_faq.shtml) - 73k - Nov 1, 2004 - [Cached](#) - [Similar pages](#)

### [PDF] 141 - NT to 2000 workstation upgrade

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... and, if applicable, the disk **partition** is converted to ... of a workgroup or a **standalone**  
 machine, and ... this phase, Setup registers each **component**, saves important ...  
[www.pcsupportadvisor.com/sasample/t1215.pdf](http://www.pcsupportadvisor.com/sasample/t1215.pdf) - [Similar pages](#)

### CRN: Test Center

... By combining the popular **stand-alone** Ghost imaging utility ... runs the Symantec Ghost  
 Console **component**, and clients ... creates a special hidden **partition** on the ...  
[www.crn.com/sections/testcenter/products/productreview.jhtml?SectionID=11&Prod=35701](http://www.crn.com/sections/testcenter/products/productreview.jhtml?SectionID=11&Prod=35701)  
 - 37k - [Cached](#) - [Similar pages](#)

### Microsoft Analysis Services Software

... Drillthrough sample Microsoft Office XP Web **Component** Toolpack; ... A **standalone** dll,  
 that you can extend or ... Kit - Analysis Services Thin Web **Client** Browser by ...  
[www.mosha.com/msolap/util.htm](http://www.mosha.com/msolap/util.htm) - 25k - [Cached](#) - [Similar pages](#)

### [PDF] Definitions... Definitions...

### Sponsored Links

[DiskPie Pro](#)
[Hard Drive Disk Manager Download](#)
[PCMag Utility Library](#)
[www.pcmag.com](http://www.pcmag.com)
[Component Stand](#)
[Shop Online & Save up to 20%. Treat](#)
[Yourself to Great Savings at Target](#)
[www.target.com](http://www.target.com)
[See your message here...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Load Balancing Clusters **Component** Load Balancing ... **Server** Clusters **Server** Clusters

Building ... available applications **Client** **Client** **Server** **Server** Router Router ...

[www.decus.de/slides/sy2000/Vortraege\\_2903/2A06.PDF](http://www.decus.de/slides/sy2000/Vortraege_2903/2A06.PDF) - [Similar pages](#)

New! Get the [latest web results on partition component stand-alone client server 2000](#) emailed to you with Google Web Alerts.



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google